

EMAIL - Diaphragm Gas Meter

Maximum Capacity:	7.5m ³ /hr for NG, 10m ³ /hr for LPG
Cyclic Volume:	2 liter (0.002 m ³)
Maximum Working Pressure:	150 kPa (21.75 psig)
Accuracy:	better than +/- 1%
Operating Temperature Range:	- 10 to + 65C.



ELSTER - Turbine Gas Meter

Max. Pressure	16bar (4 bar for Combustible gases)
Measuring Range :	QA - 10 : 1.6 -16 m ³ /hr
	QA - 16 : 2 -25 m ³ /hr
	QA - 25 : 2.5 -40 m ³ /hr
	QA - 40 : 3.3 - 65 m ³ /hr
	QA - 65 : 6 - 100 m ³ /hr
	QA - 100 : 10 - 160 m ³ /hr
	QA - 160 : 13 - 250 m ³ /hr
	QA - 250 : 32 - 650 m ³ /hr
Accuracy of Qmin - 0.2 Qmax:	<1% (3% of MW)
Hosing Material:	Aluminium
Output:	Low Frequency, Medium - Frequency



AICHI - Turbine Gas Meter

Max. Pressure :	TBX-30: 4-30 m ³ /hr
	TBX-100: 10-100 m ³ /hr
Accuracy :	+/-1% FS
Display :	8-digit LCD, minimum reading 10 liters
	Unit Flow Rate: 0.1 m ³ /hr
Max. Working Pressure :	1 Kg/cm ²
Connection :	TBX-30: 1.1/2"PT
	TBX-100: 2"PT
Material:	Aluminum alloy

